



HP Color LaserJet Enterprise M750 Printer series

Print large-volumes of professional-quality color documents on a wide range of paper sizes. Maintain productivity with intuitive, easy-to-use management tools. Conveniently print directly from laptop PCs, smartphones or tablets.¹



Enable colour printing from postcards to posters

- Expand your business options: print presentations, high impact reports and marketing materials on a wide range of media types and sizes – from postcards to SRA3 media.
- Produce high-volume print jobs without frequent paper changes, with a paper capacity of up to 2,350 sheets².
- Improve efficiency with a printer that automatically recognizes paper size and type for best printing results.
- Increase efficiency and versatility with automatic two-sided printing³.

Rely on a printer that is easy to use and manage.

- Enable easy printing from smartphones, tablets and laptops at work, home or on-the-go¹.
- Easily integrate gigabit networking and robust security options into your printing fleet.
- Supervise printing fleets remotely using intuitive management tools. Control colour printing usage and costs.
- Quickly print using the easy access USB port. Keep sensitive data safe with the HP High-Performance Secure Hard Disk⁵.



Achieve great colour prints at the speed your business needs

- Print documents fast – up to 30 ppm for A4⁴.
- Get the first page out in as soon as 10 seconds from ready mode and in 16 seconds from power save mode with Instant-on Technology.
- Enjoy consistent print quality: get accurate high-quality, glossy text, graphics on text, images and graphics automatically with HP EasyColor and HP ImageREt.
- Enjoy sharp contrast and vivid colour with the high-gloss toner in Original HP LaserJet print cartridges.

Minimise your environmental impact.

- Reduce packaging waste with pre-installed toner cartridges – no boxes, wrappers or manuals.
- Reduce waste and use up to 50 percent less paper with two-sided printing³.
- Get free and easy recycling – cartridges returned through HP Planet Partners are recycled responsibly⁶.
- Reduce the environmental impact of excess shipping materials with HP ClearView packaging⁷.



¹ Local printing requires mobile device and printer to be on the same network. Remote printing requires an internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See www.hp.com/go/mobileprinting for more details.

² Optional 500-sheet paper tray and 3x500-sheet paper tray with stand are available and sold separately for the n and dn models.

³ Automatic two-sided printing is available on the dn and xh models only.

⁴ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁵ HP High-Performance Secure Hard Disk is available only for the xh model.

⁶ Programme availability varies. HP print cartridge return and recycling is currently available in more than 50 countries and territories around the world through the HP Planet Partners program. For more information, or to request return envelopes and bulk collection boxes, visit www.hp.com/recycle.


⁷ HP ClearView Packaging is available on the xh model only.



Product walkaround

HP Color LaserJet Enterprise M750xh shown:

1. 300-sheet top output bin
2. Intuitive control panel with 4-line color display
3. Easy-access USB port for walk-up printing
4. 100-sheet multipurpose tray supports paper sizes up to SRA3
5. One-door access to the easy-to-install print cartridges
6. Built-in automatic two-sided printing
7. 250-sheet tray 2
8. 500-sheet tray 3
9. Three 500-sheet input trays with print stand for 2,350-sheet total input capacity
10. HP High-Performance Secure Hard Disk
11. 1 GB RAM and an 800 MHz processor
12. Two internal host USB 2.0 type ports for third-party solutions
13. Hi-Speed USB 2.0 port for third-party solutions
14. Hi-Speed USB 2.0 printing port
15. Access port for optional Kensington-style lock
16. HP Jetdirect Gigabit Ethernet embedded print server



Series at a glance



HP Color LaserJet Enterprise M750n

- Print speed of up to 30 ppm in colour A4
- up to 600 x 600 dpi
- 800 MHz processor
- 1 Gigabit Ethernet 10/100/1000T network
- 1 Hi-Speed USB 2.0 Host
- 1 Hi-Speed USB 2.0 Device
- 1 GB RAM
- Solid State Drive (minimum 8 GB volatile storage)
- Standard input capacity of 850 sheets with one 100-sheet multi-purpose tray 1, 250-sheet input tray 2, 500-sheet input tray 3
- Optional: up to two 500-sheet input trays or one 3 x 500 sheet feeder with stand

HP Color LaserJet Enterprise M750dn

- As HP Color LaserJet Enterprise M750n with two-sided printing
- Standard input capacity of 850 sheets with one 100-sheet multi-purpose tray 1, 250-sheet input tray 2, 500-sheet input tray 3
- Optional: up to two 500-sheet input trays or one 3x500 sheet feeder with stand

HP Color LaserJet Enterprise M750xh

- As HP Color LaserJet Enterprise M750n with two-sided printing
- 3 x 500 sheet feeder with stand
- HP High-Performance Secure Hard Disk (minimum 320 GB, AES 256 hardware encryption or greater)

Recommended accessories



CE725A

HP Color LaserJet 3x500-sheet Paper Feeder and Stand

Spend less time loading paper and more time printing. Meet the printing needs of a high-volume printing environment with the 3x500-sheet paper feeder and stand.



CE860A

HP Color LaserJet 500-sheet Paper Tray

Enhance productivity with a simple-to-install paper tray that allows you to print more pages without reloading paper and keep two different types of paper loaded.



J8026A

HP Jetdirect 2700w USB Wireless Print Server

Stay productive and connected on the go with HP ePrint mobile printing². The HP Jetdirect 2700w USB Wireless Print Server enables you to make printing devices wireless, so you can locate printers and MFPs wherever you need them³.

Ordering information



HP Color LaserJet Enterprise M750n (D3L08A)

HP Color LaserJet Enterprise M750n printer; four preinstalled HP LaserJet toner cartridges (yield ~13,500 pages black and ~15,000 pages colour); toner collection unit; 100-sheet multipurpose tray 1; 250-sheet input tray 2; 500-sheet input tray 3; Walk-up USB printing; CDs containing device software and User's Guide; documentation (including Getting Started Guides); power cord



HP Color LaserJet Enterprise M750dn (D3L09A)

HP Color LaserJet Enterprise M750dn printer; four preinstalled HP LaserJet toner cartridges (yield ~13,500 pages black and ~15,000 pages colour); toner collection unit; 100-sheet multipurpose tray 1; 250-sheet input tray 2; 500-sheet input tray 3; Walk-up USB printing; built-in automatic two-sided printing; CDs containing device software and User's Guide; documentation (including Getting Started Guides); power cord



HP Color LaserJet Enterprise M750xh (D3L10A)

HP Color LaserJet Enterprise M750xh printer; four preinstalled HP LaserJet toner cartridges (yield ~13,500 pages black and ~15,000 pages colour); toner collection unit; 100-sheet multipurpose tray 1; 250-sheet input tray 2; 500-sheet input tray 3; 3x500-sheet paper feeder and stand; Walk-up USB printing; built-in automatic two-sided printing; HP High-Performance Secure Hard Disk, minimum 320 GB, AES 256 hardware encryption or greater; CDs containing device software and User's Guide; documentation (including Getting Started Guides); power cord

Accessories, Supplies and Support

Accessories

CE725A HP Color LaserJet 3x500-sheet Paper Feeder and Stand

CE860A HP Color LaserJet 500-sheet Paper Tray

Connectivity

J8026A HP Jetdirect 2700w USB Wireless Print Server

Supplies

CE270A HP 650A Black Original LaserJet Toner Cartridge
Average continuous Black Cartridge yield 13,500 standard pages. Declared yield value in accordance with ISO/IEC 19798 in continuous printing.

CE271A HP 650A Cyan Original LaserJet Toner Cartridge
Average continuous composite Cyan/Yellow/Magenta Cartridge yield 15,000 standard pages. Declared yield value in accordance with ISO/IEC 19798 in continuous printing.

CE272A HP 650A Yellow Original LaserJet Toner Cartridge
Average continuous composite Cyan/Yellow/Magenta Cartridge yield 15,000 standard pages. Declared yield value in accordance with ISO/IEC 19798 in continuous printing.

CE273A HP 650A Magenta Original LaserJet Toner Cartridge
Average continuous composite Cyan/Yellow/Magenta Cartridge yield 15,000 standard pages. Declared yield value in accordance with ISO/IEC 19798 in continuous printing.

CE516A HP LaserJet CE516A Transfer Kit
150,000 pages

CE977A HP Color LaserJet CE977A 110V Fuser Kit
Up to 150,000 pages

CE978A HP Color LaserJet CE978A 220V Fuser Kit
Up to 150,000 pages

CE980A HP Color LaserJet CE980A Toner Collection Unit
Up to 150,000 pages

Service & support

UX964E - HP 3 year Next Business Day Color LaserJet CP5525/M750 Hardware Support

UV276E - HP 3 year 4 hour 13x5 Color LaserJet CP5525/M750 Hardware Support

UV280E - HP 4 year Next Business Day Color LaserJet CP5525/M750 Hardware Support

UV279E - HP 5 year Next Business Day Color LaserJet CP5525/M750 Hardware Support

UV269PE - HP 1 year Post-Warranty Next Business Day Color LaserJet CP5525/M750 Hardware Support

UV271PE - HP 1 year Post-Warranty 4 hour 13x5 Color LaserJet CP5525/M750 Hardware Support

UV268PE - HP 2 year Post-Warranty Next Business Day Color LaserJet CP5525/M750 Hardware Support

For a complete list of supplies, accessories and services, please refer to <http://www.hp.com>

For workflow, device management and other solutions, please visit the Global Solutions catalog: www.hp.com/go/gsc

Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit hp.com/go/learnaboutsups. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsups

Count on dependable support to create the best image possible. We can help you enhance your printing and imaging environment, protect your IT investment, and grow your business—with expert support that's affordable, personal, and tailored to your needs through HP Care Pack Services.

Technical specifications

Print technology	Laser			
Print speed	A4 black: Up to 30 ppm, duplex: Up to 30 ipm, A4 colour: Up to 30 ppm A3 black: Up to 15 ppm, duplex: Up to 10 ipm, A3 colour: Up to 15 ppm First page out black (A4): As fast as 10 sec, First page out colour (A4): As fast as 10 sec Exact speed varies depending on the system configuration, software application, driver and document complexity. Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.			
Processor	800 MHz			
Memory	1 GB. Not expandable			
Hard disk	D3L10A only: Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater)			
Print	Quality	HP ImageREt 3600		
	Resolution	Black: Up to 600 x 600 dpi, Color: Up to 600 x 600 dpi		
	Printer languages	HP PCL 6, HP PCL 5c (HP PCL 5c driver available from the Web only), HP Postscript Level 3 emulation, native PDF printing (v 1.4), Apple AirPrint™		
	Typefaces/fonts	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts		
	Duty cycle (monthly, A4)	Up to 120,000 pages		
	Recommended monthly page volume	2500 to 13,000		
	Print margins (mm)	Top: 5 mm. Left: 5 mm. Right: 5 mm. Bottom: 5 mm		
Media handling	Input: Tray 1	Capacity sheets: 100; transparencies: 50; envelopes: 10	Weight 60 to 220 g/m ²	Size A3, A4, A4-R, A5, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS); 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Postcard (JIS), Dpostcard (JIS), Envelopes: B5, C5, C6, DL
	Tray 2	sheets: 250; transparencies: 50	60 to 120 g/m ² plain papers, up to 160 g/m ² coated papers	A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS)
	Tray 3	sheets: 500	60 to 120 g/m ² plain papers, up to 160 g/m ² coated papers	A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS)
	Sheets: Up to 300 sheets. Envelopes: Up to 40 envelopes. Transparencies: Up to 300 sheets			
Media types	Paper (extra heavy, glossy, heavy, heavy glossy, high gloss images, intermediate, light, plain, recycle, tough), envelopes, labels, cardstock, transparencies			
Interface and connectivity	Standard: 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 2 Internal USB Host Optional: HP Jetdirect 2700w USB Wireless Print Server J8026A			
Operating systems compatibility	Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac OS X v10.6.8, v10.7.5 Lion, v10.8 Mountain Lion. For the latest operating system support see: AirPrint™ (support.apple.com/kb/ht4356); Android (android.com); Citrix® and Windows Terminal Services (hp.com/go/ud); HP ePrint Software Driver (hp.com/go/eprintsoftware); Linux (hplip.net); Novell (novell.com/print); SAP device types (hp.com/go/sap/drivers); SAP Print (hp.com/go/sap/print); UNIX® (hp.com/go/unix); UNIX® JetDirect (hp.com/go/jetdirectunix_software). Latest drivers for supported operating systems are available at: go to hp.com/support . Select your country/region. Select Drivers & Downloads. Enter a product name/number. Select your product, select your driver language, select your operating system, under Download, select Drivers or Firmware. If no access to the Internet, see the install notes on the CD that came in the printer box.			
Network operating systems compatibility	Windows 8.1 (32-bit/64-bit); Windows 8 Basic (32-bit/64-bit); Windows 8 Pro (32-bit/64-bit); Windows 8 Enterprise (32-bit/64-bit); Windows 8 Enterprise N (32-bit/64-bit); Windows 8 Enterprise RT (32-bit only); Windows 7 (32-bit/64-bit) (Including Starter Edition); Windows Vista (32-bit) (Including Starter Edition); Windows Vista (64-bit); Windows XP (SP2 or higher) (32-bit/64-bit); Windows Server 2012 R2; Windows Server 2012 (No Software Installer support); Windows Server Win7/2008 R2 (SP1); Windows Server 2008 (Standard Edition); Windows Server 2008 (Enterprise Edition); Windows Server 2008 (32-bit/64-bit) (SP1); Windows Server 2008 (32-bit/64-bit) (SP2); Windows Server 2008 R2 (32-bit/64-bit) (Standard Edition, Enterprise Edition); Windows Server 2008 Server Terminal Services; Windows Server 2008 Server Terminal Services with Citrix® XenApp; Windows Server 2003 (Standard Edition); Windows Server 2003 (Enterprise Edition); Windows Server 2003 (32-bit/64-bit) (SP1); Windows Server 2003 (32-bit/64-bit) (SP2); Windows Server 2003 R2 (32-bit/64-bit) (Standard Edition, Enterprise Edition); Windows Server 2003 Server Terminal Services; Windows Server 2003 Server Terminal Services w/Citrix® MetaFrame XP with Feature Release 3; Windows Server 2003 Server Terminal Services w/Citrix® Presentation Server 4.0; Windows Server 2003 Server Terminal Services with Citrix® Presentation Server 4.5; Novell NetWare 6; Novell NetWare 6.5 [SP8 minimum for full Windows Vista, Windows 7 and Windows XP (SP7 if only Windows XP)]; Novell iPrint Client v5.4 for Windows XP, Windows Vista and Windows 7, (x86 and x64); Novell iPrint Support Only; Novell Open Enterprise Server 2 (Linux); Novell Open Enterprise Server 6.5; Other Citrix® (Print): Citrix® XenApps 6.0, Xen Server 5.6, Xen Desktop 5.5; Other Cluster Support; Mac OS v10.5, v10.6.8, v10.7.5, v10.8.x, v10.9.x; For Linux OS versions, refer to the HP Linux web site: hplipopensource.com/hplip-web/index.html ; Unix® HPLIX 1.1; IBM® AIX 3.2.5 or higher; MPE-iX; Citrix® MetaFrame Server; RED HAT Linux 7.x or higher; Solaris® 2.5 or higher (SPARC® systems only); SUSE Linux 8.x or higher. (For Microsoft IPv6 compatibility use Windows 2003, Windows XP Home, Windows XP Professional and Windows Vista)			
Minimum system requirements	Windows 8, Windows 7 (SP1 or higher), Windows Vista, Windows XP (SP2 or higher), Windows Server 2012 (64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2008, Windows Server 2003 (SP1 or higher); 200 MB available hard disk space; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection. Operating system compatible HW system requirements see microsoft.com . Mac OS X v10.6.8, v10.7.5 Lion, v10.8 Mountain Lion; 1 GB of available hard disk space; CD-ROM or DVD drive, or Internet connection; Dedicated Universal Serial Bus (USB 1.1 or 2.0), or network connection (Operating system compatible hardware system requirements see apple.com)			
Standard software	HP PCL 6 Discrete Printer Driver; Mac Software Link to Web (Mac Installer); Windows Installer			
Control panel	5.2 cm, 4-line Colour Graphic Display (CGD) and control panel; 7 job control buttons (Menu, Select, Stop, Back/Exit, Help, Up arrow, Down arrow); 3 LED status lights (Attention, Data, Ready); Enhanced help with animated graphics; Easy-Access USB port with cover			
Power	Requirements: Input Voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz). Consumption: 677.41 watts (printing black), 654.92 watts (printing colour), 59.46 watts (ready), 9.09 watts (sleep), 0.35 watts (off), 0.35 watts (Auto On/Auto Off). Typical Electricity Consumption (TEC): 3.680 kWh/Week. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.			
Dimensions (w x d x h)	Out of package: D3L08A: 544 x 586 x 465 mm; D3L09A: 544 x 586 x 465 mm; D3L10A: 745 x 688 x 885 mm; ; Packaged: D3L08A: 714 x 730 x 718 mm; D3L09A: 714 x 730 x 718 mm; D3L10A: 856 x 760 x 1343 mm;			
Weight	Out of package: D3L08A: 52.4 kg; D3L09A: 52.4 kg; D3L10A: 83 kg; ; Packaged: D3L08A: 62.7 kg; D3L09A: 62.7 kg; D3L10A: 98 kg;			
Printer management	HP Web Jetadmin; HP Utility (Mac)			
Security management	Management security: SNMPv3, SSL/TLS, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in			
Operating environment	Operating temperature: 15 to 27°C. Recommended operating temperature: 17 to 25°C. Operating humidity: 10 to 70% RH. Operating humidity recommended: 30 to 70% RH. Storage temperature: 0 to 35°C. Storage humidity: 10 to 90% RH			
Acoustics	Acoustic Power Emissions: 6.7 B(A); Acoustic Pressure Emissions: 64.9 dB(A)			
Certifications	CISPR 22:2008/EN 55022:2010 (Class A), EN 61000-3-2 :2006 +A1:2009 +A2:2009; EN 61000-3-3 :2008; EN 55024:2010; EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries. Regulatory standards: IEC 60950-1:2005 +A1; EN 60950-1:2006 +A11:2009 +A1:2010 +A1 2:2011; IEC 60825-1:2007 (Class 1 Laser/Led Product); EN 60825-1:2007 (Class 1 Laser/LED Product); GS Certificate (Germany, Europe); IEC 62479:2010; EN 62479:2010; Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries. ENERGY STAR: Yes			
Warranty	One-year, on-site limited warranty. Warranty and support options vary by product, country and local legal requirements.			

<http://www.hp.com/uk>

© Copyright 2013 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 10/13 4AAA-8998EEE

